OHIO PUBLIC WORKS COMMISSION

77 South High Street, Room 1629 Columbus, Ohio 43266-0303 (614) 466-0880

APPLICATION FOR FINANCIAL ASSISTANCE

IOTE: <u>Applicant should</u> for assistance in	consult the "Instructions for Completion of Project Application of this form.
APPLICANT NAME STREET	City of Cincinnati 801 Plum Street
CITY/ZIP	Cincinnati 45202
PROJECT NAME PROJECT TYPE TOTAL COST	Winton Road Rehabilitation Street rehabilitation \$ 548,000
DISTRICT NUMBER COUNTY	2 Hamilton
PROJECT LOCATION	
This section to be completed by DISTRICT FUNDING 1	RECOMMENDATION
AMOUNT OF REQUE	ST: \$ 235,000.00
FUNDING SOURCE	(Check Only One):
State	e Issue 2 District Allocation e Issue 2 Small Government Funds e Issue 2 Emergency Funds al Transportation Improvement Program
This section to be completed by OPWC PROJECT N	
OPWC FUNDING A	MOUNT: \$

1.0 APPLICANT INFORMATION

1.1	CONTACT PERSON TITLE STREET CITY/ZIP PHONE FAX	Doug Perry Senior Engineer 801 Plum Street Room 435, City Hall Cincinnati 45202 (513) 352 - 3407 () -
1.2	CHIEF EXECUTIVE OFFICER TITLE STREET CITY/ZIP PHONE FAX	Scott Johnson City Manager 801 Plum Street Room 152, City Hall Cincinnati 45202 (513) 352 - 3241 ()
1.3	CHIEF FINANCIAL OFFICER TITLE STREET CITY/ZIP PHONE FAX	Frank Dawson Director of Finance 801 Plum Street Room 250, City Hall Cincinnati, Ohio 45202 (513) 352 -3732
1.4	PROJECT MGR TITLE STREET CITY/ZIP PHONE FAX	Bob Cordes Principal Highway Design Engineer 801 Plum Street Room 435, City Hall Cincinnati 45202 (513) 352 - 3409 () -
1.5	DISTRICT LIAISON TITLE STREET CITY/ZIP PHONE FAX	William Brayshaw Deputy County Engineer 138 East Court Street County Administration Building Cincinnati 45202 (513) 632 - 8523 ()

2.0 PROJECT SCHEDULE

		estimated start date	COMPLETE DATE
2.1	ENGR. DESIGN	10 / 1 / 89	4 / 1 / 90
2.2	BID PROCESS	<u>4 / 1 / 90</u>	<u>6 / 1 / 90</u>
23	CONSTRUCTION	6 / 1 / 90	6 / 1 / 91

3.0 PROJECT INFORMATION

3.1 PROJECT NAME: Winton Road Rehabilitation

BRIEF PROJECT DESCRIPTION 3.2

A. SPECIFIC LOCATION:

Winton Road from Gray Road to Corporation Line (see attached map)

B. PROJECT COMPONENTS:
Rehabilitation of existing roadway including repair and replacement of curb, removal of existing asphalt surface, base and joint repairs, inlet and connection pipe repairs, casting adjustments and resurfacing with a minimum of 2 inches of asphaltic concrete.

C. PHYSICAL DIMENSIONS/CHARACTERISTICS:

Roadway is 4 lanes, 46 feet wide and 2100 feet in length.

D. DESIGN SERVICE CAPACITY:

Roadway is 4 or 5 lanes, varies between 40 and 55 in width and is 9650 feet in length.

REQUIRED SUPPORTING DOCUMENTATION 3.3

Attach Pages.

4.0 PROJECT FINANCIAL INFORMATION

4.1	PROJECT ESTIMATED COSTS	(Round to Nearest Dollar):
a)	Project Engineering Costs: 1. Preliminary Engineering 2. Final Design 3. Construction Supervision	\$ 2,000 \$ 6,000 \$ 20,000
b)	Acquisition Expenses 1. Land 2. Right-of-Way	\$ \$
c) d) e) f)	Construction Costs Equipment Costs Other Direct Expenses Contingencies	\$ 480,000.00 \$ - \$ - \$ 40,000.00
g)	TOTAL ESTIMATED COSTS	\$ 548,000
4.2	TOTAL PORTION OF PROJEC REPAIR/REPLACEMENT	T \$ <u>548,000</u>
4.3	TOTAL PORTION OF PROJEC NEW/EXPANSION	T \$
4.4	PROJECT FINANCIAL RESOU	RCES (Round to Nearest Dollar and Percent)
a) b) c) d)	Local In-Kind Contributions Local Public Revenues Local Private Revenues Other Public Revenues 1. State of Ohio 2. Federal Programs OPWC Funds	Dollars % \$
f)	TOTAL FINANCIAL RESOURCES	\$ 548,000 100
		:
4.5		re of the project costs will come tal Improvement Funds which will be
	Attach Documentatiompproved Capital F	as part of the City's 1990 budget. unds come from City income tax revenue ale of bonds.
4.6	PREPAID ITEMS	· ·
	Attach Page.	

5.0 APPLICANT CERTIFICATION

The Applicant Certifies That:

As the official representative of the Applicant, the undersigned certifies: that he/she is legally empowered to represent the applicant in both requesting and accepting financial assistance as provided under Chapter 164 of the Ohlo Revised Cade; that to the best of his/her knowledge and belief, all representations that are a part of this application are true and correct; that all official documents and commitments of the applicant that are a part of this application have been duly authorized by the governing body of the Applicant; and, should the requested financial assistance be provided, that in the execution of this project, the Applicant will comply with all assurances required by Ohlo law, including those involving minority business utilization, equal employment opportunity, Buy Ohlo, and prevailing wages.

	SCOTT	JOHNSON , CITY MANAGER
Cer	tifying Represe	ntative (Type Name and Title)
	0///	
<u></u>	e Joseph Si	
Sigr	nature/Date Sig	gried
Appli In m	cant shall circle the to project application.	appropriate response to the statements. I have included the following:
(YES)	NO	Two-year Maintenance of Local Effort Report as required in 164-1-12 of the Ohio Administrative Code.
(FES)	NO	A registered professional engineer's estimate of useful life as required in 164-1-13 of the Ohio Administrative Code.
(YES)	NO	A registered professional engineer's estimate of cost as required in 164-1-14 and 164-1-16 of the Ohio Administrative Code.
(FES)	NO	Two (2) copies of a 5-year Capital improvements Report have been submitted to my District integrating Committee as required in 164-1-31 of the Ohlo Administrative Code.
(YES)	NO	A "status of funds" report per section 4.5 of this application.
YES	NO (N/A)	A copy of the cooperative agreement (for projects involving more than one subdivision).
YES	NO N/A	Copies of all warrants for those Items Identified as "pre-pald" in section 4.6 of this application.
-		

6.0 DISTRICT COMMITTEE CERTIFICATION

The District Integrating Committee for District Number $\frac{2}{}$ Certifies That:
As the official representative of the District Public Works Integrating Committee, the undersigned hereby certifies: that this application for financial assistance as provided under Chapter 164 of the Ohio Revised Code has been duly selected by the appropriate body of the District Public Works integrating Committee; that the project's selection was based entirely on an objective, District-oriented set of project evaluation criteria and selection methodology that are based entirely on an objective, District-oriented set of project evaluation criteria and selection methodology that are fully reflective of and in conformance with Ohio Revised Code Sections 164.05, 164.06, and 164.14, and Chapter 164-164 of the Ohio Administrative Code; and that the amount of financial assistance hereby recommended has been prudently derived in consideration of all other financial resources available to the project. As evidence of the District's due consideration of required project evaluation criteria, the results of this project's ratings under such criteria are attached to this application.
Donald C. Schramm, Chairperson, Dist 2 Integrating Committee
Certifying Representative (Type Name and Title)

Signature/Date Signed 1/24/90

2 YEAR MAINTENANCE OF LOCAL EFFORT REPORT

CINCINNATI CAPITAL IMPROVEMENT BUDGET, 1988

PROJECT NAME	PROJECT TYPE	FUNDING SOURCE	FUNDIN	G AMOUNT
Street Rehabilitation	Rehabilitation	Street Improvement Bond Fund	\$ 7,7	50,000
Street Rehabilitation	Rehabilitation	Income Tax Perm. Improvement Fund	\$ 1,8	50,000
Southside Avenue Bridge Replacement	Replacement	Income Tax Perm. Improvement Fund	\$ 1.4 -	26,000
Eggleston Avenue Improvement	Widening & Channelizing	Income Tax Perm. Improvement Fund	\$ 3	25,000
Bridge Investment Protection Program	Rehabilitation	Income Tax Perm. Improvement Fund	\$ 1	25,000
Wall Stabilization & Landslide Correction	Rehabilitation & Replacement	Income Tax Perm. Improvement Fund	\$ 5	00,000
City Sidewalks, Drives, Etc.	Replacement	Income Tax Perm. Improvement Fund	\$ 3	75,000
City Hillside Stair Renovation	Rehabilitation & Replacement	Income Tax Perm. Improvement Fund	\$	50,000
Impact Attenuators	Installation	Income Tax Perm. Improvement Fund	\$	50,000
Hopple-Beekman- Westwood Northern Blvd. Intersection	Widening	Income Tax Perm. Improvement Fund	\$ 1	00,000
Bridge Rehabilitation	Rehabilitation	Income Tax Perm. Improvement Fund	\$ 3	10,000

2 YEAR MAINTENANCE OF LOCAL EFFORT REPORT

CINCINNATI CAPITAL IMPROVEMENT BUDGET, 1989

PROJECT NAME	PROJECT TYPE	FUNDING SOURCE.	FUND	ING AMOUNT
Hopple-Beekman- Westwood Northern Blvd. Intersection	Widening	Street Improvement Bond Fund (from Issue 1 Funds)	\$	315,000
Monastary Street	Hillside Stabilization	Income Tax Perm. Improvement Fund	\$	300,000
Guerley Road	Widening	Street Improvement Bond Fund	\$	50,000
Street Rehabilitation	Rehabilitation	Street Improvement Bond Fund	\$ 1	,710,000
City Sidewalks, Drives, Etc.	Replacement	Street Improvement Bond Fund	\$	200,000
City Hillside Stair Renovation	Rehabilitation & Replacement	Street Improvement Bond Fund	\$	190,000
Wall Stabilization & Landslide Correction	Rehabilitation & Replacement	Street Improvement Bond Fund	\$	500,000
Belmont Avenue	Widening	Income Tax Perm. Improvement Fund	\$	300,000
Brighton Connection	Intersection Improvement	Income Tax Perm. Improvement Fund	\$	400,000
Calhoun Street	Widening	Street Improvement Bond Fund	\$	100,000
Clifton Avenue	Realignment	Street Improvement Bond Fund	\$	150,000
Elberon Avenue	Landslide Correction	Street Improvement Bond Fund	\$	60,000

2 YEAR MAINTENANCE OF LOCAL EFFORT REPORT

Hamilton Avenue	Widening	Street Improvement Bond Fund	\$ 200,000
Maryland Avenue	Landslide Correction	Street Improvement Bond Fund	\$ 100,000
Queen City Avenue	Widening	Street Improvement Bond Fund	\$ 700,000
Rapid Transit Tubes Under Central Parkway	Rehabilitation	Street Improvement Bond Fund	\$ 000,000
Stadium/Coliseum Bridges	Rehabilitation	Street Improvement Bond Fund	\$ 120,000
Waits Avenue	Widening	Street Improvement Bond Fund	\$ 50,000
Waldvogel Viaduct	Rehabilitation	Street Improvement Bond Fund	\$ 200,000
Warsaw/Waldvogel Ramp	Landslide Correction	Street Improvement Bond Fund	\$ 130,000
Groesbeck Road	Widening	Street Improvement Bond Fund	\$ 100,000
U.S. 50/Sixth Street Expressway	Rehabilitation	Street Improvement Bond Fund	\$ 100,000

City of Cincinnati



Department of Public Works Division of Engineering Room 440, City Hall 801 Plum Street Cincinnati, Ohio 45202

George Rowe Director

Thomas E. Young City Engineer

October 31, 1989

Subject: Winton Road Rehabilitation

Gray Road to Corporation Line

Certification of Useful Life of Issue 2 OPWC Projects

As required by Chapter 164-1-13 of the Ohio Administrative Code, I hereby certify that the design useful life of the subject street rehabilitation project is at least twenty (20) years.



(seal)

T.E. Joung H.E. City Engineer

City of Cincinnati

1990 STREET REHABILITATION, STATE ISSUE #2 Winton Road

REF.	ITEM NO.	ESTIMATED QUANTITIES	DESCRIPTION	EST. UNIT PRICE	ESTIMATED COST
1	103.05	1ump	Contract Bond		\$4,340.00
2	Special	1.800 s.y.	Part Depth Pavt. Rep(Conc. Pavt.)	\$27.00	\$48,600.00
3	Special	10 c.y.	Maintenance Patching	\$80.00	\$B00.00
4	Special	1,000 l.f.	Connection Pipe Cleaned	\$10.00	\$10,000.00
5	202	1,500 s.y.	Rigid Pavt. Removed-Full Depth	\$25.00	\$37,500.00
6	202	49,600 s.y.	Wearing Course Removed	\$1.50	\$74,400.00
7	301	375 c.y.	Bituminous Aggregrate Base(9")	\$85.00	\$31,B75.00
8	304	100 c.y.	Aggregate Base	\$25.00	\$2,500.00
9	403	1,450 c.y.	Asphalt Concrete Leveling Course	\$42.00	\$89,900.00
10	404	1,450 c.y.	Asphalt Concrete Surface Course	\$62.00	\$89,900.00
11	603	50 l.f.	12" Conduit, Type "H"	\$30.00	\$1,500.00
12	604	50 ea.	Manhole Adjust to Grade W/O Ring	\$175.00	\$8,750.00
13	604	5 ea.	Valve Chambers Adjust W/Ring	\$65.00	\$325.00
14	604	2 ea.	Valve Chambers Adjust W/O Ring	\$175.00	\$350.00
15	604	41 ea.	SGI Adjusted To Grade	\$220.00	\$9,020.00
16	604	2 ea.	SGI Repaired & Adjusted To Grade	\$240.00	\$480.00
17	604	20 ea.	DGI Adjusted To Grade	\$230.00	\$4,600.00
18	604	5 ea.	DGI Repaired & Adjusted To Grade	\$260.00	\$1,300.00
19	808	150 s.f.	Handicap Ramp	\$4.00	\$600.00
50	608	20 s.f.	Concrete Walk	\$4.00	\$80.00
15	609	3,000 l.f.	Concrete Curb Repair,Type P-4	\$16.00	\$48,000.00
55	609	250 l.f.	Concrete Curb ,Type 5-1	\$15.00	\$3,750.00
53	609	40 l.f.	· • • •	\$8.00	\$320.00
24	612	100 s.f.	Conc. Median & Traffic Island Repair	\$7.00	\$700.00
25	627		Concrete Driveway	\$5.00	\$1,300.00
26	660	3,000 l.f.		\$2.00	\$6,000.00
27	1125	1 ea.	Reset Ex. Valve Box W/O Adjusters	\$110.00	\$110.00
28	619	lump	Field Office		\$3,000.00

Total Cost \$480,000.00

Contingencies \$ 40,000.00

Total Cost: \$520,000.00

THOMAS E.

YOUNG
26962

**COUNTERED
CONAL ENGINEERED

T. E. Young, R. E. City Engineer City of Cincinnati

City of Cincinnati



Department of Finance

Room 250, City Hall 801 Plum Street Cincinnati, Ohio 45202

January 22, 1990

F. A. Dawson
Director
F. X. Wagner
Superintendent

Mr. Donald Schramm, P.E., P.S. Hamilton County Engineer 700 County Administration Building 138 East Court Street Cincinnati, Ohio 45202

Attn: Mr. Joseph Hipfel

Re: Status of funds for local share of 1990 State Issue 2 Project

Dear Mr. Hipfel:

This letter is in follow-up to conversations you have had with the Engineering Division regarding the status of the City's matching funds for the 1990 State Issue 2 program.

The local matching share is recommended by the City Manager for funding in the City's 1990 Capital Improvement Program. The funds are coming from Street Improvement Bonds which are scheduled for sale on January 31, 1990.

Very truly yours,

F.A. Dawson


Director of Finance

cc: T. Young, Engr.

R. Cordes, Engr.

D. Perry, Engr.

R. Cline, Engr.



APPLICATION YEAR: 1990
STATE OF OHIO

INFRASTRUCTURE BOND PROGRAM

DISTRICT 2, HAMILTON COUNTY

PROJECT APPLICATION .

Jurisdiction/Agency: CITY OF CINCINNATI Population (1980): 385,000	<u> </u>
Project Title: STREET REHABILITATION - WINTON ROAD	
Project Identification and Location: WINTON ROAD FROM GRAY ROAD TO	
THE CORPORATION LINE	
Type of Project: Rehabilitation 🗵 Replace 🗌 Betterment" 🗌	
(Mark more than one box if there are expansion elements such as 2 lane bridge being replaced with a 4 lane bridge)	
Explanation of Betterment Elements of Project":	
Road 🗵 Bridge 🗆 Flood Control System (Stormwater) 🗆	
Detailed Description of Project**: REHABILITATION OF EXISTING ROADWAY,	
INCLUDING REPAIR AND REPLACEMENT OF CURB, REMOVAL OF EXISTING ASPHALT	
SURFACE WHERE NEEDED, BASE & JOINT REPAIRS, INLET & CONNECTION PIPE	
REPAIRS, CASTING ADJUSTMENTS AND RESURFACING WITH ASPHALTIC CONCRETE.	
Type of Issue 2 Euros: District 2 Small Government	
Type of Issue 2 Funds: District 2 - Small dovernment	
Water/Sewer Rotary L_J Emergency L_J	
* See definition of Betterment attached.	

** Attach additional sheets if necessary.

Road percentage: Miles of road that are poor to very poor Total mileage of road within jurisdiction Storm percentage: Length of storm sewers that are poor to very poor Total length of storm sewer within jurisdiction Bridge percentage: Number of bridges that are poor to very poor Number of bridges within jurisdiction ROAD PERCENTAGE: MILES POOR: 200 = 21.9% TOTAL MILES: 915 What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal accondition rating. Closed: Extremely poor: Fair: Poor: Good: Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfactype and width, structural condition of surface, substandard: bern width, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL DETERIORATION OF EXISTING ROADWAY. AGE OF PAVEMENT IS 35 YEARS (+-).	as being poor serviceability.	ire of this p	roject, what perce poor in condi	tion which is similar to the classified tion, adequacy and/c
Storm percentage= Length of storm sewers that are poor to very poor Total length of storm sewer within jurisdiction Bridge percentage= Number of bridges that are poor to very poor Number of bridges within jurisdiction ROAD PERCENTAGE = MILES POOR = 200 = 21.9% TOTAL MILES 915 What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Fair Poor Good Fair good Fair do poor Good Fair to poor Fair Good Fair to poor Good Fair to poor Good Fair to poor Good	Typical examples	are:		
Bridge percentage = Number of bridges that are poor to very poor Number of bridges within jurisdiction ROAD PERCENTAGE = MILES POOR = 200 = 21.9% TOTAL MILES 915 What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Fair Poor Good Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surface type and width, structural condition of surface, substandard: bern width, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	Road percentage	= Miles of Total mil	road that are poor eage of road with	to very poor n jurisdiction
Number of bridges within jurisdiction ROAD PERCENTAGE = MILES POOR = 200 = 21.9% TOTAL MILES 915 What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Extremely poor Fair Poor Good Extremely poor fair Poor Good Fair to poor good The present facility such as: inadequate load capacity (bridge), surfactive and width, structural condition of surface, substandard: berwidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, AND GENERAL	Storm percentag	e= <u>Length of</u> Total len	storm sewers that gth of storm sewer	are poor to very poor within jurisdiction
What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfactype and width, structural condition of surface, substandard: berwidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to brepaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	Bridge percenta	ge= <u>Number of</u> Number	bridges that are of bridges within	poor to very poor jurisdiction
repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfact type and width, structural condition of surface, substandard: berwidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	ROAD PERCENTAGE =	: MILES POOR = TOTAL MILES	200 = 21.9% 915	
repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Extremely poor Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfactype and width, structural condition of surface, substandard: berwidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfact type and width, structural condition of surface, substandard: berwidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfactype and width, structural condition of surface, substandard: berwidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfact type and width, structural condition of surface, substandard: berwidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal accondition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfact type and width, structural condition of surface, substandard: berwidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
Good Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surfact type and width, structural condition of surface, substandard: berewidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
Give a brief statement of the nature of the deficiency of the present facility such as: inadequate load capacity (bridge), surface type and width, structural condition of surface, substandard: berewidth, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less tha 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED	repaired? For condition rating.	bridges, base	condition on lates	st general appraisal am
present facility such as: inadequate load capacity (bridge), surface type and width, structural condition of surface, substandard: bery width, grades, curves, sight distances, drainage structures, sanitar sewers, and water mains. List the age of the infrastructure to be repaired or replaced using one of the following categories: less than 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	repaired? For condition rating.	bridges, base	condition on lates	st general appraisal an
JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	repaired? For condition rating. Closed Extremely poo	bridges, base	condition on lates Fair to poo	st general appraisal an
	repaired? For condition rating. Closed Extremely poor Poor Give a brie present facility type and width, width, grades, sewers, and wat repaired or repl	ef statement such as: in structural curves, sight er mains. aced using one	Fair to poor fair Fair Good of the nature of adequate load capa condition of surfair distances, drainage of the of the following	t general appraisal ar the deficiency of the acity (bridge), surface bernes structures, sanitary are infrastructure to be categories: less than
DETERIORATION OF EXISTING ROADWAY. AGE OF PAVEMENT IS 35 YEARS (+-).	repaired? For condition rating. Closed Extremely poor Poor Give a brie present facility type and width, width, grades, sewers, and wat repaired or repl 20 years, 20-29 y	or of statement such as: in structural curves, sight er mains. aced using one ears, 30-39 ye	Fair to poor fair to poor fair Good of the nature of adequate load capa condition of surfactances, drainage the age of the following ars, 40-49 years,	t general appraisal are the deficiency of the acity (bridge), surface see, substandard: bernes structures, sanitary as infrastructure to be categories: less than 50 years or older
	repaired? For condition rating. Closed Extremely poor Poor Give a brie present facility type and width, width, grades, sewers, and wat repaired or repl 20 years, 20-29 y	or if statement such as: in structural curves, sight er mains. aced using one years, 30-39 ye	Fair to poor fair food fair Good of the nature of adequate load capa condition of surfactances, drainage of the following ars, 40-49 years, WEAR - PAVEMENT FA	the deficiency of the acity (bridge), surface bernge structures, sanitary categories: less than 50 years or older
	repaired? For condition rating. Closed Extremely poor Poor Give a bried present facility type and width, width, grades, sewers, and wath repaired or replained or replained or replained or PAVEMENT SHOWS STALLED	ef statement such as: in structural curves, sight er mains. aced using one ears, 30-39 ye GIGN OF SEVERE	Fair to poor fair food Fair food of the nature of adequate load capa distances, drainage of the following ars, 40-49 years, WEAR - PAVEMENT FAIRED CURB, INLET FAIR	t general appraisal are the deficiency of the acity (bridge), surface ace, substandard: bernes structures, sanitary are infrastructure to be categories: less than 50 years or older AILURES, HEAVED
	repaired? For condition rating. Closed Extremely poor Poor Give a bried present facility type and width, width, grades, sewers, and wath repaired or replained or replained or replained or PAVEMENT SHOWS STALLED	ef statement such as: in structural curves, sight er mains. aced using one ears, 30-39 ye GIGN OF SEVERE	Fair to poor fair food Fair food of the nature of adequate load capa distances, drainage of the following ars, 40-49 years, WEAR - PAVEMENT FAIRED CURB, INLET FAIR	t general appraisal and the deficiency of the acity (bridge), surface ace, substandard: berige structures, sanitary are infrastructure to be categories: less than 50 years or older AILURES, HEAVED

afi	Stat er c our?	ompletio	on ot	the a	greemer	nt with	OPWC /			.111113 0	1 DIGS
36		e indic ing the						ne pro	ject de	evelopm	ent by
a)	Has t	he Consu	ıltant	been	selecte	ed?			Yes	Νo	N/A
b)	Preli	minary d	develop	oment	or engi	ineering	g comp	leted?	(VEB)	No	N/A
c)	Detai	led cons	structi	ion pl	ans com	npleted?	?		Yes	No	N/A
d)	Ali r	ight-of-	-way ac	cquire	d?				Yes	No	W/A
e)	Utili	ty coord	linatio	on com	pleted?	?			Yes	NO	N/A
Giv	/e es : yet	timate complete	of tined. WIT	me, in FHIN 3	weeks MONTHS	or mont	ths, to	comp 40 Y8	lete ar WC, ALL	ny item _ ABOVE	above
W	ORK WI	LL BE CO	OMPLETE	ED SO	THAT PE	ROJECTS	CAN BI	E AWAR	DED IN	1990.	
hea	alth,	1 the welfare, applicab	ands	safety	of the	e servio	ce area		impact	the g	eneral
hea (alth, Vhere Overa	welfare,	and sole, co	safety omment includ	of the	e servio e follow ccident	ce area ving:	ā •			
hea ≖ (alth, Vhere Overa shoul	welfare, applicab 11 safe	and sole, coety, interest, ached,	safety omment includ , if a	of the on the ing ac vailabl	e service follow ccident	ving: reduc	a. ction	(Accid	dent r	
hea may a) b)	elth, Where Overa shoul ————————————————————————————————————	welfare, applicab 11 safe d be att	and sole, coety, is ached,	safety omment includ , if a	of the	e service follow coident le).	ce areaving: reduce , police	etion	(Accid	dent r	
b)	Overa shoul Emerg	welfare, applicab ll safe d be att ency veh	and sole, constant of the cons	safety comment includ if a respon fir	of the	e service follow coident le)e (fire, ection,	reduce police health	ction ce, &	(Accid	dent r	ecords
heaman (a) b) c)	Overa shoul Emerg	welfare, applicab ll safe d be att ency veh factors	and sole, constant of the cons	safety comment includ includ if a respon costs detour	of the on the ing ac vailabl se time e prote or an	e service follow coident le). e (fire, ection, e additing alterna	reduce the steer of the steer o	ce, &	(Accid	dent r	ecords
hea may b) c)	elth, Where Overa shoul Emerg Other Addit users	welfare, applicab ll safe d be att ency veh factors ional U	and sole, consider of the constant of the cons	safety comment includ includ if a respon ofir costs detour	of the on the ing ac vailabl se time e prote The or an	e service follow coident le). e (fire, ection, e additing alternation)	reduce police health ional cate room	ction ce, & n haza distan	(Accid	dent r	ecords

- Are matching funds available? (i.e. Federal, State, MRF, Local, etc.) 5.
 - To what extent of anticipated construction cost?

List the type and amount of funds being supplied by the local agency. This amount may be from local, Federal, State, Municipal Road Fund (MRF), or other sources. Explain additional funding through other sources being applied for or received for the project. Also. explain any need to accumulate funds for construction at a later date. Complete LOCAL FUNDING SOURCES on Page 6.

- The local agency shall supply a minimum of 10% of the anticipated construction cost. Additionally, the local agency shall pay for all costs of engineering, inspection of construction, right of way, and the betterment portion of the project. Complete ESTIMATED COST OF PROJECT, on Page 6.
- Has any formal action by a federal, state, or local government agency 6. resulted in a partial ban or complete ban of the use or expansion of use for the involved infrastructure? NO
 - Are there any roads or streets within the proposed project limits that have weight limits (partial ban) or truck restrictions (complete Have any bridges had weight limits imposed on them (partial ban) or truck prohibitions (complete ban)? Have the issuance of new Building permits been limited (partial ban) or halted (complete ban) because the existing storm/sanitary sewer or water supply system in a particular area is inadequate? Document with specific information explaining what type of ban currently exists and the agency that imposed the ban. NO

- What is the total number of existing users that will benefit as a 7. result of the proposed project? Use appropriate criteria such as households, traffic counts, ridership figures for public transit, daily users, etc., and equate to an equal measurement of users.
 - For roads and bridges, multiply current documented Average Daily Traffic by 1.2 occupants per car (I.T.E. estimated conversion factor) to determine users per day. Ridership figures for public transit must Where the facility currently has any restrictions or be documented. partially closed, use documented traffic counts prior to is restriction. For storm sewers, sanitary sewers, water lines, and other related facilities, multiply the number of households in the service area by four (4) to determine the approximate number of users per day.

ADT = 24,000 USERS = 28,800

- 8. The applicant has conducted a study of its existing capital improvements and their condition. A five year overall Capital Improvement Plan (that shall be updated annually) is attached or on file with the District 2 Integrating Committee for the current year or shall be submitted by March 31 of the program year. The Plan shall include the following:
 - a) An inventory of existing capital improvements, including their condition,
 - b) A plan that details capital improvements needs during the next five years and,
 - c) A list of the political subdivision's priorities in addressing these needs.

The attached Form 1 shall be completed for those projects which are being submitted for Issue 2 funds.

9.	Is the infrastructure to be improved part of a facility that have regional significance? (Number of jurisdictions served, size of service area, trip lengths or lengths of route, functional classification)
	THIS STREET IS PART OF THE FEDERAL AID URBAN SYSTEM AND IS
	CLASSIFIED AS A PRINCIPAL ARTERIAL.

10.) ESTIMATED COST OF PROJECT

ACTIVITY	ISSUE 2 FUNDS		LOCAL FUNDS
Planning, Design, Engineering	(100% Local)	\$	8,000
Right-Of-Way/Real Property	(100% Local)	*	N/A
Inspection of Construction	(100% Local)	\$	20,000
Construction and Contingencies	\$ 235,000	\$	285,000
Betterment Portion	(100% Local)	\$	N/A
Subtotal	\$ 235,000	\$	313,000 **
Grand Total (Issue 2 Funds Plus Loc LOCAL FUNDING SOURCES	al Funds)	•\$	548,000
Municipal Road Fund (MRF)		\$	
State Fuel & License Funds		\$	
Local Road Taxes		\$	
Local Bond or Operating Funds		\$	313,000
misc. Funds (Specify)		\$	
Total Local Funds		‡	313,000 **

^{**} These numbers must be identical

CAPITAL IMPROVEMENT PLAN

LOCAL ABILITY TO PAY

Previous Capital Budget For Infrastructure Projects*

Α.

	Budget is based on expenditu	ures or appropriation	(Circle one)
	Funding (in thousands of dollars)	% of TOTAL expenditures/ appropriations	% of TOTAL Capital budget USED FOR INFRASTRUCTURE REPAIR/REPLACEMENT
	1986 \$ 8,552	%	<u>35</u> "
	1987 \$ 14,983	%	
	1988 \$ 14,019		%
	1989 \$ <u>26.903</u> (est.)	%	<u>%</u>
в.	Projected Capital Budget For Budget is based on expenditu		
	Funding (in thousands of dollars)	% of TOTAL expenditures/ appropriations	% of TOTAL Capital budget USED FOR INFRASTRUCTURE REPAIR/REPLACEMENT
	1990 \$ 32,125	16 %	<u>B0</u> ″
	1991 \$ 31,107		
	1992 \$ 36,124	17 %	%
Brie	e only funds expended or approfice of the second significant and the second significant the second s	nt <u>Reduction</u> (10% on ns for 1989-92 as for previous years	r more) in projected compared to actua (It is the intent o
		:	
			-

oes the ources?	jurisdiction utilize any (circle answer)	of the following	g methods for	funding
	Local income tax	Yes	No	
	Permissive license plate fee.	(Yes)	No	
	Bridge and road levies	Yes	No	
	Tax increment financing and/or capital improvement bond iss		No	
	Direct user fees	Ves	No	
	Permit fees and fines	Yes	No	
The	HORIZATION applicant hereby affirms that ject is selected.	t local funds wil	l be provided	if this
ny phot ther av roject.	ttach with application ographs, reports, plans or ailable data on the m 152, CITY HALL	O Jaluan Signature		
B01	PLUM STREET	SCOTT JOHNS	ON	
CIN ddress	CINNATI, OHIO 45202	<u>CITY MANAGE</u> Position	R	
(51 hone (W	3) 352-3241 ork)	CITY OF CIN Local Jurisdicti		

NOTE THAT THIS FORM IS BEING OFFERED FOR APPLYING JURISDICTION/AGENCIES: INFORMATION PURPOSES ONLY. IT WILL BE FILLED OUT BY THE SUPPORT STAFF, BASED ON INFORMATION SUPPLIED ON APPLICATION FORMS.

OHIO'S INFRASTRUCTURE BOND PROGRAM (ISSUE #2)

DISTRICT 2 - HAMILTON COUNTY

1990 PROJECT SELECTION CRITERIA

JURISDICTION	N/AGENCY: CITY OF CINCINNATI
PROJECT IDEN	OTIFICATION:
	WINTION ROAD PEHABILITATION
PROPOSED FUR	NDING: $I = 5000 = 4/39$, $I = 5000 = 579$
ELIGIBLE CAT	RUADWAY REHAB
<u>POINTS</u> 1.	Type of Project
	10 points - Bridge, road, storm water. 3 points - All other type projects.
10 2.	If Issue 2 Funds are awarded, how soon after the agreemen with OPWC is completed would bids occur?
	10 points - Will be let in 1990 5 points - Likely to be let in 1990

0 points - Not likely to be let in 1990

3. What is the condition and/or serviceability of infrastructure to be replaced or repaired. For bridges, base condition on latest general appraisal and condition rating. 10 points - Closed

8 points - Extremely Poor

6 points - Poor

4 points - Fair to Poor

2 points - Fair

0 points - Good

Of the total infrastructure within the jurisdiction which is 4. similar to the infrastructure of this project, what portion can be classified as being in poor to very poor in condition, and/or inadequate in service.

10 points - 50% and over

8 points - 40% and over

6 points - 30% and over

4 points - 20% and over

2 points - 10% and over

How important is the project to the health, welfare and safety of the public and the citizens of the district and/or the service area?

10 points - Significant importance

8 points -

6 points - Moderate importance

4 points -

2 points - Minimal importance

What is the overall economic health of the jurisdiction?

lo 20 points - Poor

8 16 points -

6

6 12 points - Fair

4 & points -

2 4 points - Excellent

7. Are matching funds for this project available? Federal, State, MRF, Local, etc.). To what extent of estimated construction cost?

10 points - More than 50%

8 points - 40-50% and over

6 points - 30-49% and over

4 points - 20-29% and over

2 points - 10-19% and over

\wedge			
	8.	governmental agency resu	n by a Federal, State or local lted in a partial or complete ban of use for the involved infrastructure? ight limits on bridges.
		10 points - Complete ban 5 points - Partial ban 0 points - No action	- -
	9.	as a result of the parties of the pa	of existing users that will benefit proposed project. Use appropriate olds, traffic count, public transit, equate to an equal measurement of
		5 points - Over 10,000 4 points - Over 7,500 to 3 points - Over 5,000 to 2 points - Over 2,500 to 1 points - Under 2,449	7,499
5	10.	size of service area,	have regional impact? (May consider trip length or total length of route, functional classification, etc.)
		5 points - Major impact 4 points - 3 points - Moderate impa 2 points - 1 points - Minimal impac	
60	TOTA	AL POINTS	
	h &		11-21-89
<u> </u>	aug	Reviewer Names	Date